



# **COMM SERIES**

# Communications Power Supplies in 12, 24 and 48VDC Output

When you need clean reliable DC power for your communications needs, look to the industry leader in switch mode power supplies for peace of mind. Since 1986 ICT has been a leader in reliability, support and innovation. We design, manufacture, ship and support our products locally in our North American facility. When you need high quality, field tested communications power supplies with fast reliable delivery, rely on the ICT Comm Series.









## RELIABILITY

- > ICT has been building highly reliable DC power products for 25 years
- Only quality name brand components are used
- Efficient design reduces number of parts and connections that can fail
- Every power supply shipped is serial number tracked
- Rugged terminal block connectors allow trouble-free wiring connections

### PERFORMANCE


- High efficiency switchmode design for small size and clean output power
- Extra input and output filtering effectively removes interference
- > Isolated outputs are compatible with negative or positive ground equipment
- > Automatic current limiting protects power supply and connected loads
- Built-in fuse for extra protection

## DEPENDABILITY

- All ICT power products are manufactured in North America
- Our deliveries are typically measured in days, not weeks
- All ICT products are supported by our in-house engineering team

## FLEXIBILITY

- Wide selection from 50 to 720 watts of power
- 12, 24 and 48VDC outputs
- > Desktop, rackmount, wall mount and digital meter options
- Broad selection of matching radio covers and complete base stations



Power Level (watts)	12VDC Output	Other 12V Case Widths	24VDC Output	48VDC Output
50-75	ICT12012–4A ICT12012–6A			
100–200	ICT12012-10A ICT12012-12A	ICT12012–10AG, ICT12012–10AX ICT12012–12AG, ICT12012–12AX	ICT12024-5A	
200–500	ICT12012–15A ICT12012–20A ICT12012–30A	ICT12012–15AG, ICT12012–15AX ICT12012–20AG, ICT12012–20AX ICT12012–30AG, ICT12012–30AX	ICT12024–10A ICT12024–15A	ICT12048-5A
600-720				ICT12048–12AR ICT12048–15AR

Options		
Description		Model Number
Wallmount Bracket	Kit to turn your desktop Comm Series into a wall mount configuration	ICT-WMB
2RU - 19" Rack Mount Kit	Comes with all hardware necessary to mount one or two desktop power supplies (a)	ICT-RMK1

(a) Not Available for ICT12012-4A or ICT12012-6A. Not Required for ICT12048-12AR or ICT12048-15AR.



ICT-RMK1 with two Comm Series power supplies installed.

#### Case Widths Explained

ICT 12 volt Comm Series are available to fit standard radio widths of 7.1", with popular 12 volt models also available for 6.4" (AG) and 5.6" widths (AX) used by many radio manufacturers. This means you can choose the power supply that best matches the dimensions of your land mobile radio.

#### Custom Models Available

At ICT we specialize in custom designs and modifications. If you don't see exactly what you need contact us and let our engineering and design team go to work for you.

#### Other AC Input Voltages

Visit www.ict-power.com to find 220VAC input models.

For higher power levels see the ICT Pro Series and ICT Digital Series power supplies at www.ict-power.com



The Power of Reliability

Innovative Circuit Technology Ltd. 26921 Gloucester Way, Langley, BC, Canada V4W 3Y3 Tel: 604-856-6303 | Fax: 604-856-6365 | Email: sales@ictcorporate.com | www.ict-power.com Innovative Circuit Technology Ltd. The information contained herein is subject to change without notice. ICT shall not be liable for technical or editorial errors or omissions contained herein.

800-072-004

#### **TECHNICAL SPECIFICATIONS**

12VDC Output															
	Input Voltage Output		Output Current	Output Current	Current	Line	Load	Output Ripple	Efficiency	Dimensions (inches)					
Model Number	Range	Voltage	(Cont.)	(Peak)	Limiting	Regulation	Regulation	(Max)	(Typical)	L	W	н			
ICT12012–4A	90-130 VAC	13.8 VDC +/- 300mV	3.0 Amps	4.0 Amps	4.5 Amps	0.50%	2.00%	20 mV RMS	75%	5.25	3.82	1.25			
ICT12012–6A	90-130 VAC	13.8 VDC +/- 300mV	4.5 Amps	6.0 Amps	6.5 Amps	0.50%	2.00%	20 mV RMS	75%	5.25	3.82	1.25			
ICT12012-10A	90-130 VAC	13.8 VDC +/- 150 mV	7.5 Amps	10.0 Amps	10.5 Amps	0.20%	0.75%	20 mV RMS	85%	7.60	See Tech Note	1.80			
ICT12012–12A	90-130 VAC	13.8 VDC +/- 150 mV	10.0 Amps	12.0 Amps	12.5 Amps	0.20%	0.80%	20 mV RMS	85%	7.60	See Tech Note	1.80			
ICT12012–15A	90–130 VAC	13.8 VDC +/- 150 mV	13.0 Amps	15.0 Amps	15.5 Amps	0.20%	0.80%	20 mV RMS	85%	7.60	See Tech Note	2.50			
ICT12012-20A	90-130 VAC	13.8 VDC +/- 150 mV	17.0 Amps	20.0 Amps	20.5 Amps	0.20%	0.85%	20 mV RMS	85%	7.60	See Tech Note	2.50			
ICT12012-30A	90-130 VAC	13.8 VDC +/- 150 mV	25.0 Amps	30.0 Amps	31.0 Amps	0.20%	0.85%	20 mV RMS	85%	7.60	See Tech Note	2.50			

24VDC Output												
	Input	0	Output	Output		Line	Land	Output		Dimensions (inches)		
Model Number	Voltage Range	Output Voltage	Current (Cont.)	Current (Peak)	Current Limiting	Line Regulation	Load Regulation	Ripple (Max)	Efficiency (Typical)	L	w	Н
ICT12024–5A	90-130 VAC	27.6 VDC +/- 150 mV	4.0 Amps	5.0 Amps	5.5 Amps	0.20%	0.75%	20 mV RMS	85%	7.60	7.10	1.80
ICT12024-10A	90-130 VAC	27.6 VDC +/- 150 mV	8.0 Amps	10.0 Amps	10.5 Amps	0.20%	0.75%	20 mV RMS	85%	7.60	7.10	2.50
ICT12024-15A	90-130 VAC	27.6 VDC +/- 150 mV	13.0 Amps	15.0 Amps	15.5 Amps	0.20%	0.75%	20 mV RMS	85%	7.60	7.10	2.50

48VDC Output												
	Input Voltage		Output					Output		Dimensions (inches)		
Model Number	Voltage Range	Output Voltage	Current (Cont.)	Current (Peak)	Current Limiting	Line Regulation	Load Regulation	Ripple (Max)	Efficiency (Typical)	L	w	Н
ICT12048-5A	90-130 VAC	48.0 VDC +/- 150 mV	4.0 Amps	5.0 Amps	5.5 Amps	0.50%	1.00%	40 mV RMS	80%	7.60	7.10	2.50
ICT12048-12AR	105–130 VAC	48.0 VDC +/- 300mV	10.0 Amps	12.0 Amps	12.5 Amps	0.25%	0.85%	50 mV RMS	85%	8.63	19.0	3.50
ICT12048-15AR	105-130 VAC	48.0 VDC +/- 300mV	13.0 Amps	15.0 Amps	15.5 Amps	0.25%	0.85%	50 mV RMS	85%	8.63	19.0	3.50

**TECH NOTE** 

ICT Comm Series power supplies can be ordered in three different widths to match the land mobile radio manufacturers' standard sizes. ICT covers match the width of the radio to provide an optimized space saving solution. Visit www.ict-power.com, click on Find Radio Cover or download the ICT Base Station Matrix to see which ICT power supply and cover fits your radio model.



Page 3



The Power of Reliability

Innovative Circuit Technology Ltd. 26921 Gloucester Way, Langley, BC, Canada V4W 3Y3 Tel: 604-856-6303 | Fax: 604-856-6365 | Email: sales@ictcorporate.com | www.ict-power.com Innovative Circuit Technology Ltd. The information contained herein is subject to change without notice. ICT shall not be liable for technical or editorial errors or omissions contained herein.

800-072-004