



Receiver & Display Unit MRK-A10N

# Air Conditioner user & installation manual

## imagine the possibilities

Thank you for purchasing this Samsung product.

ENES EN UP DE EN EN EN AB DB68-03717A-05 SAMSUNG



#### **Safety Precautions**

- Before using the receiver & display unit, read carefully this instructions.
- After reading the instructions, keep this owner's instructions and the installation manual in a handy and safe place. If a user is changed, you must hand over the manuals.
- Never attempt to install the air conditioning system or to move the receiver & display unit by yourself.



- ◆ Do not attempt to install or repair this receiver & display unit by yourself.
- ◆This receiver & display unit contains no userserviceable parts. Always consult authorized service personnel for repairs.
- When moving, consult authorized service personnel for disconnection and installation of the receiver & display
- ◆Ensure that the wall is strong enough to support the weight of the receiver & display unit.
- ◆ In the event of a malfunction (burning smell, etc.), immediately stop operation, turn off the electrical breaker, and consult authorized service personnel.
- ◆ Read carefully this installation manual before installation and check whether the receiver & display unit is installed correctly after installation.
- ◆ Must install the receiver & display unit with the wire kit which is supplied with the unit.
- ◆The receiver & display unit must be installed according to the national electrical rules by an installation specialist.
- ◆When you want to disuse the receiver & display unit, consult authorized installation center.












- ◆ Do not use inflammable gases near the receiver & display unit.
- ◆ Do not spill water into the wired receiver & display unit.
- ◆ Do not operate the receiver & display unit with wet
- ◆ Do not install the receiver & display unit in a location where it will come into contact with the combustible gases, machine oil, sulphide gas, etc.
- Do not press buttons with a pointed thing.
- ◆ Do not pull or bend the receiver & display unit cable excessively.
- ◆ Do not use this receiver & display unit for other purpose.
- ◆ Do not spray an insecticide or other combustible things on the receiver & display unit.
- ◆ Do not clean the receiver & display unit with benzene, solvents or other chemicals.
- ◆ Do not give a shock to the receiver & display unit or disassemble it by yourself.
- ◆ Avoid a location where acid/alkali solution or special spray is used.
- ◆ Choose a location that is dry and sunny, but not exposed to direct sunlight. Available temperature is between 0°C(32°F) and 39°C(102°F).
- ◆ Do not give tensile strength to the cable to avoid disconnection.
- ◆ If the receiver & display unit is installed in a hospital or other special places, it should not affect other electronic devices.







### View of the Receiver & Display Unit







#### **Receiver & Display Unit Installation**

#### Accessories

Receiver & display unit (1)	PH, +, 2, M2, L10	TH, +, 1, M4, L20	User & Installation	Wire kit [Length:
	tapped screw (4)	tapped screw (2)	Manual (1)	10m (32.80ft)]
© 0	6mmmp	E)mmm>		

- Remove the receiver & display unit cover by using the tab on its bottom.
- Open the receiver & display unit.
- 3 Connect the end of the connector wire to the receiver & display unit and connect the other end of the wire to the DISPLAY connector of Indoor PCB as shown in figure.



- Do NOT keep the receiver & display unit cable with a 220V cable because the remote controller cables have low voltage.
- Secure the receiver & display unit on the wall with two screws.
- Reassemble the receiver & display unit cover.



- The receiver & display unit must be installed by an installation specialist.
- Before installing the receiver & display unit, ensure that you have turned off the main power.
- All receiver & display unit cables should be installed according to the national wiring rules and you must install it in the wall not to be touched by users.

