



UNIVERSAL
WiFi THERMOSTAT
LIVE IN COMFORT™

www.mrcool.com

UNIVERSAL WiFi THERMOSTAT

- UNIVERSAL COMPATIBILITY
- PRECISE COMFORT CONTROL
- EASY PROGRAMMING




- | | |
|---|--|
| ✓ 4.17x2.36 Inch Display | ✓ 7 Days Programmable with Auto Changeover |
| ✓ Supports Up to 12 Different Equipment Types | ✓ Supports Wi-Fi 802.11 b/g/n @ 2.4GHz |
| ✓ Up to 3 Heat / 2 Cool | ✓ 24V Hardwire (C terminal) |

UNIVERSAL WiFi THERMOSTAT LIVE IN COMFORT™

The Universal WiFi Thermostat is a programmable thermostat designed for use with virtually any modern central heating and air conditioning system. It is easy to install and easy to use. Compatible with the MRCOOL® family of air comfort apps, you can even control this thermostat from anywhere in the world with an Internet connection.

Specifications:

Temperature Setting Range	Heating: 40°F to 90°F (4°C to 32°C). Cooling: 50°F to 99°F (10°C to 37°C).
Shipping Temperature	14°F to 140°F (-10°C to 60°C).
Operating Ambient Temperature	32°F to 122°F (0°C to 50°C).
Humidity Display Range	0% to 99%.
Clock Accuracy	+/- 2 minute per month.
Operating Relative Humidity (Non-condensing)	IRS-1: 5% to 95%. ORS-1: 5% to 95%.
Cool Indication	Show "Cool On" on the screen when Cool is activated.
Heat Indication	Show "Heat On" on the screen when Heat is activated.
Auxiliary Heat Indication	Show "Aux On" on the screen when Auxiliary Heat is activated.
Terminals	RC RCYG Y2 0/B/W AUX/W2 E L



- Easy to install and use
- Large, clear display with backlight shows temperature, set temperature and humidity
- Menu-driven programming make setup effortless
- Beautiful ergonomic design is smart and sophisticated to match your customer lifestyle
- Touchscreen interaction
- Control from anywhere using your smartphone
- Compressor protection



48 Remington Way
Hickory, KY 42051

Phone: 270-366-0457

www.mrcool.com

*Smartphone not included with purchase. Display Images for demonstrative purposes only. Actual images during product use may vary.